





WARN WINCH WITH YOUR NAME ON IT

Ultimate Performance SeriesFor the serious off-roader.

9.0Rc	Page	13
9.5cti	Page	14
9.5xp	Page	15
Endurance 12.0	Page	16
PowerPlant	Page	17

Entry Level Series

A new line of winches for the new winch user.

VR8000	Page 3
VR10000	Page 4
VR12000	Page 5

Premium Series

Classic design. Proven performance.

M6000	Page
M8000	Page
M8274-50	Page
XD9000	Page 1

XD9000i.....Page 11

Heavyweight Series

Big winches for big trucks.

M12000......Page 19

M15000.....Page 20

.. Page 21

ENTRY LEVEL SERIES

WORLD-CLASS WARN PERFORMANCE AT A VERY COMPETITIVE PRICE.

Don't let the phrase "Entry Level" fool you: These are dependable **WARN** winches through and through. With 8,000, 10,000, and 12,000 lb. capacities, the **WARN Entry Level Series gives you** everything you need in a winch, and nothing you don't. Includes the **WARN Limited Lifetime Warranty.**





VR8000 A full 8,000 lb. pulling capacity makes this winch great for lighter trucks, Jeeps, and SUVs. Quick line speed, durable construction, and WARN dependability ensure this winch will come through time and time again.

- Legendary WARN reliability and performance; 8,000 lb. (3630 kg) capacity
- Low-profile design will fit most trucks and SUVs
- Separate control pack for various mounting options
- Exclusive brake design for superior winching control
- Durable, smooth, and reliable three-stage planetary geartrain
- Series-wound motor for plenty of power and fast line speed
- Remote control with 12' (3.7m) lead
- 94' of 5/16" (28.6m of 8mm) diameter wire rope
- Backed by the full WARN Limited Lifetime Warranty

PN 86245

VR10000 For those looking for more pulling power without having to break the bank, there's the WARN VR10000. With a 10,000 lb. capacity, this winch is ideal for heavier trucks, SUVs, and Jeeps. Big power, big torque, not-sobig price.

- Legendary WARN reliability and performance; 10,000 lb. (4536 kg) capacity
- Low-profile design will fit most trucks and SUVs
- Separate control pack for various mounting options
- Exclusive brake design for superior winching control
- Durable, smooth, and reliable three-stage planetary geartrain
- Series-wound motor for plenty of power and fast line speed
- Remote control with 12' (3.7m) lead
- 94' of 3/8" (28.6m of 9.5mm) diameter wire rope
- Backed by the full WARN Limited Lifetime Warranty

PN 86255





VR12000 If you've got a big, heavy truck and want to save some cash in the winch department, the WARN VR12000 is the perfect winch. With a stout 12,000 lb. pulling capacity and plenty of performance, this winch is big on power and big on value.

- Legendary WARN reliability and performance; 12,000 lb. (5440 kg) capacity
- Low-profile design will fit most trucks and SUVs
- Separate control pack for various mounting options
- Exclusive brake design for superior winching control
- Durable, smooth, and reliable three-stage planetary
- geartrain Series-wound motor for power and fast line speed
- Remote control with 12' (3.7m) lead
- 94' of 3/8" (28.6m of 9.5mm) diameter wire rope
- Backed by the full WARN Limited Lifetime Warranty

PN 86260



PREMIUM SERIES CLASSIC DESIGN. PROVEN PERFORMANCE.

These popular winches have been chewing up the competition for years. Pulling capacities of up to 9,000 lbs. and compact, efficient, and effective designs have made these cult favorites. Includes the WARN Limited Lifetime Warranty.



M6000 Medium- to light-duty winch with big ideas. A compact 6,000 lb. winch with a fast line speed of 10 ft. per minute full-load pull rate. 4.8hp Series Wound motor delivers big torque and power.

- Premium Series winch that delivers classic design, proven performance, and legendary WARN reliability
- Low-profile design will fit most trucks and SUVs
- Separate control pack for various mounting options
- Exclusive brake design provides superior control while winching
- Durable 3-stage planetary geartrain for smooth, reliable, operation
- Series-wound, high-speed motor provides fast line speed and strong pulls
- Remote control with 12" (3.7m) lead • 80' of 5/16" (24m of 8mm) diameter

wire rope

PN 45880 (12V) PN 39116 (Short Drum Portable)





Next generation electrical control box

M8000 Compact puller for trucks, sport utilities and Jeeps. An 8,000 lb. capacity winch that offers outstanding value. Its low-profile design allows for a variety of mounting options, making it prefect for most trucks and SUVs.

- Premium Series winch that delivers classic design, proven performance, and legendary WARN reliability
- New, next generation electrical control box and hand-held remote control
- Low-profile design and separate control box allows for a wide range of mounting options
- Exclusive brake design provides superior control while winching
- Durable 3-stage planetary geartrain for smooth, reliable, operation
- Series-wound, high-speed motor provides fast line speed and strong
- Chip-resistant powder-coated finish
- 100' of 5/16" (38m of 8mm) diameter wire rope

PN 26502






M8274-50 Loved by off-roaders who compete, it's our fastest winch. No-load retrieval line speed of 73.4' per minute. Line capacity is long - 150' of 5/16'' (46m of 8mm) wire rope. Our original 8,000 lb. capacity off-road winch.

- Rugged spur-gear drivetrain and unique upright design
- Automatic disc braking system delivers smooth operation with superior heat dissipation
- Roller fairlead, new-design remote control, free spool clutch, and battery cables are

included







XD9000 Long-time best seller. A durable 9,000 lb. winch with a compact body and separate control pack that allows you to use it in tight spaces.

- New, next generation electrical control box and hand-held remote control
- Low-profile design and separate control box allows for a wide range of mounting options
- Exclusive brake design provides superior control while winching
- Durable 3-stage planetary geartrain for smooth, reliable, operation
- Series-wound, high-speed motor provides fast line speed and strong pulls

PN 28500

- Chip-resistant, powder-coated finish
- 100' of 5/16" (30m of 8mm) diameter wire rope



XD9000i Fast and reliable in real trail conditions. No-load retrieval line speed of 38' per minute. Integrated solenoid. Runs cool with low amp draw for long winching duty cycles.

- Integrated control box provides excellent protection to electronics
- Exclusive brake design provides superior control while winching
- Durable 3-stage planetary geartrain for smooth, reliable, operation
- Series-wound, high-speed motor provides fast line speed and strong pulls
- Next-generation remote control with 12' (3.7m) lead
- Chip-resistant, powder-coated finish
- 125' of 5/16" (38m of 8mm) diameter wire rope

PN 27550, PN 37441 (Multi-Mount)



PORTABLE OPTION Available in the Multi-Mount portable winch configuration.

ULTIMATE PERFORMANCE SERIES

FOR THOSE WHO EAT, SLEEP AND DREAM OFF-ROADING

Ambitious. Advanced. Tough-asnails. Revolutionary technology fuels the best winches on the market today. No-compromise construction, extreme sealing and the highest in performance and reliability make them a perfect match for the serious off-roader. All deliver superior duty cycle with improved motor life. Backed by the **WARN Limited Lifetime Warranty.**



9.0Rc Competitive rock crawling means tackling tough climbs, intense approach angles and tight turns. That's why rock crawling rigs need a low-profile, lightweight winch like the WARN 9.0Rc that delivers maximum power in a compact, 54-lb. unit. The 9.0Rc is a winch built for rock crawlers looking for efficiency, reliability and legendary WARN performance.

- 4.8 hp series wound motor delivers 9,000 lbs. of pulling capacity, and fast line speed under load
- Next-generation control pack delivers long duty cycles
- New-style remote control
- 50' of 3/8" (15m of 9.5mm) diameter synthetic rope combined with a rugged. 360-degree swivel hook and

- Ballistic nylon sliding sleeve that provides extra rope protection against abrasion and wear
- Aluminum hawse fairlead
- Exclusive multi-segment cam actuated brake for positive operator control during winching
- Gloss red paint with primer undercoat gives superior



PN 71550

corrosion resistance

9.5cti Contactor equipped, thermometric winch is the newest addition to the WARN Ultimate Performance winch lineup. A massive protective structure combined with sophisticated operator feedback delivers fast line speeds, and long duty cycles.

- New contactor control features exceptional durability, extra long life, and superior weather sealing
- Series wound motor and 3-stage planetary geartrain deliver 9,500 lbs. of pulling capacity
- Extreme-duty winch sealing system
- Motor-mounted thermal sensor relays temperature information to winch operator by way of the hand-held remote control with LED indicator

- Redesigned remote control with thermometric indicator light
- High gloss, chip-resistant black powder coat finish over a massive cast-aluminum alloy housing
- Comes with 125' of 5/16"
 (38m of 8mm) wire rope, hook, remote control on 12' (3.7m) lead, and roller fairlead

PN 97550 PN 85760 (Multi-Mount) PN 85757 (Multi-Mount, for H2 Hummer)





9.5 Extreme performance winch delivers the fastest line speed under load and an extra long duty cycle of any WARN self-recovery winch. 9,500 lbs. of pulling capacity.

- High-output parallel series wound winch motor is the strongest and most durable in the industry
- Extreme-duty winch sealing.
 Enables superior water resistance
- Exclusive brake design.
 Provides superior operator control when winching
- Extended-duty control pack delivers long duty-cycle to help you tackle the most demanding pulls

- 3-Stage planetary geartrain.
 Proven to be the most reliable efficient and durable design
- Remote-mount, next-generatiog. control box allows for various mounting options
- Remote control with 12' (3.7m) lead
- High gloss, chip-resistant powder coat finish. Provides superior corrosion resistance
- 100' of 5/16" (30m of 8mm)
 diameter wire rope

PN 68500

to improved sealing. Simple, intuitive operation. The new industry standard.

The new next-generation WARN remote control stands up to rough treatment

off-road. Rubberized, ergonomic pistol-grip

handle. Ultra-weather/mud resistant thanks

Endurance 12.0 Gives you 12,000 lbs. of pulling capacity with the longest duty cycle of any electric winch on the market today. The specially designed cooling fan automatically turns on when the winch's motor reaches a certain temperature.

- Remote-mount fan: Cools winch motor for longer duty cycle. Fan has automatic or manual activation
- Contactor: Sealed and water resistant. Highly reliable; handles high current and allows for long duty cycle
- Remote control: Weatherresistant remote with 12' (3.7m) lead and fan activation switch

- Stainless-steel clutch lever/ hardware: Superior corrosion resistance
- 3-Stage planetary geartrain: Most reliable and efficient gear reduction system available
- Mechanical brake: Industryleading patented brake design
- Long wire rope: 80° of 3/8" (24m of 9.5mm) durable, easy-to-wind wire rope

PN 73010





PowerPlant Versatility times two. A best-in-class air compressor and a powerful WARN winch in one versatile unit. Whether you're winching and airing up while off-roading; inflating a raft or air mattress; or running a nail gun or impact wrench; the PowerPlant is the way to get things done.

- Winch features a 3-stage planetary gear train, series-wound motor with thermal protection switch, free-spooling clutch, integrated direct-drive cone brake
- Available in two configurations: PowerPlant HP: 9,500 lbs. pulling capacity, 125' of 5/16" (38m of 8mm) wire rope, fast line speeds; PowerPlant HD: 12,000 lbs. pulling capacity, 80' of 3/8" (24m of 9.5mm) wire rope, long duty cycle
- Air compressor delivers enough air to operate a variety of air tools or quickly
 inflate a raft. Max air pressure: 100 PSI, CFM rating: 12 CFM @ 0 PSI, 5 CFM @
 90 PSI. Onboard features include: integrated intercooler, pressure switch, thermal
 protection shutoff switch and air hose quick disconnect
- Includes next-generation remote control, hose, and basic air fittings and couplings

PN 71800 (PowerPlant HP), PN 71801 (PowerPlant HD)

PAGE 16

HEAVYWEIGHT SERIES

BIG WINCHES FOR BIG TRUCKS.

The brute strength that heavier trucks and SUVs need. Featuring pulling capacities of up to 16,500 lbs. and higher strength carrier plates to handle heavy geartrain stresses, these winches are the most powerful in the WARN line-up. All backed by the WARN Limited Lifetime Warranty.





M12000 Champion workhorse for heavy-duty winching. 3-stage planetary geartrain combined with a 4.6hp series-wound motor produce 12,000 lbs. of pulling power. Design is low profile so it fits where you want it.

- 12,000 lb. (5,440 kg) pulling capacity (single line)
- Large frame winch design is designed to handle heavier winch loads
- Series-wound, high-speed motor provides fast line speed and strong pulls
- Brake provides superior control while winching
- Next-generation remote-mount control box allows for various mounting options
- Durable 3-stage planetary geartrain for smooth, reliable, operation
- Remote control with 12' (3.7m) lead
- Chip-resistant powder-coated finish
- 125' of 3/8" (38m of 9.5mm) diameter wire rope

PN 17801 (12V)



M15000 A heavy-duty 15,000 lb. capacity winch with a 4.6hp series-wound motor. Direct drive cone braking system. Control pack is designed for clearance and ease of access.

- High strength carrier plates are designed to handle heavy gear train stresses
- Series-wound, high-speed motor provides fast line speed and strong pulls
- Brake provides superior control while winching
- Remote-mount control box allows for various mounting
- Durable 3-stage planetary geartrain for smooth, reliable, operation
- Remote control with 12' (3.7m) lead
- Chip-resistant powder-coated finish
- 90' of 7/16" (27m of 11mm) diameter wire rope

PN 47801





16.5ti Highest capacity, most technologically advanced winch for big trucks. Series-wound motor combined with a 3-stage planetary gear train delivers 16,500 lbs. of pulling power. Thermometric indicator LED provides operator feedback on motor temperature.

- Extreme-duty sealing helps protect the winch from the outside elements
- Series-wound, high-speed motor provides fast line speed and strong pulls
- Exclusive brake design provides superior control while winching
- Aluminum control box cover for added protection of the electronics
- Durable 3-stage planetary geartrain for smooth, reliable, operation
- Remote control with 12' (3.7m) lead and thermometric LED indicator for operator feedback
- Chip-resistant powder-coated finish with primer undercoating for superior corrosion protection

• 90' of 7/16" (27m of 11mm) diameter wire rope

PN 68801



Warn Industries, Inc. 12900 S.E. Capps Road

Clackamas, OR USA 97015-8903 1-503-722-1200 FAX: 1-503-722-3000

www.warn.com

Customer Service: **1-800-543-9276**Dealer Locator Service: **1-800-910-1122**International Sales Support: **1-503-722-1200**

International FAX: 1-503-722-3005



The dealer locator service is available 7 days per week and 24 hours a day.

Customer service is available between 7:00 am and 4:00 pm Pacific Time, Monday through Friday.

Specifications subject to change at any time. © 2011 Warn Industries, Inc. WARN® and the WARN logo are registered trademarks of Warn Industries. Go Prepared™ and PowerPlant™ are trademarks of Warn Industries, Inc. Printed in USA